Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.05.2020

moet

Version number 12

Revision: 12.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Microgliss K-6
- · Article number: K-6
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category Lubricants, greases, release products
- Application of the substance / the mixture Lubrification
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

The Swatch Group Research and Development Ltd. Division Moebius Kreuzenstrasse 30 CH-4452 Itingen Switzerland Tel.: +41 61 975 73 00 Fax: +41 61 975 73 01 moebius@moebius-lubricants.ch 1.4 Emergency telephone number:

Tox Info Suisse, info@toxinfo.ch Phone: +41 44 251 51 51 or CH-Emergency Phone: 145 (24h)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation. • *Hazard pictograms*



· Signal word Warning

· Hazard-determining components of labelling: Barium sulfonate salts Barium hydroxide 8-hydrate · Hazard statements H332 Harmful if inhaled. H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves / eye protection / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

CHE

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

(Contd. of page 1)

Trade name: Microgliss K-6

P312 *P321*

Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see on this label).

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 8012-95-1	Paraffin oils	50-100%
EINECS: 232-384-2	substance with a Community workplace exposure limit	
	Barium sulfonate salts	10-25%
	Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
	Barium hydroxide 8-hydrate	≥1-<5%
	Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H332	
· Additional informat	ion. For the wording of the listed hazard phrases refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact:* Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.

• 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

(Contd. of page 2)

Trade name: Microgliss K-6

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

8012-95-1 Paraffin oils

MAK (Switzerland) Long-term value: 5 e mg/m³

Barium hydroxide 8-hydrate

MAK (Switzerland) Short-term value: 4 e mg/m³ Long-term value: 0.5e mg/m³ als Ba berechnet

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

(Contd. of page 3)

Trade name: Microgliss K-6

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties				
· General Information				
· Appearance: Form:	Fluid			
Colour:	Brown			
· Odour:	Characteristic			
· Odour threshold:	Not determined.			
· pH-value:	Not determined.			
•				
· Change in condition	Undetermined.			
Melting point/freezing point: Initial boiling point and boiling range				
· Flash point:	> 100 °C			
· Flammability (solid, gas):	Not applicable.			
• Decomposition temperature:	Not determined.			
• Auto-ignition temperature:	Product is not selfigniting.			
• Explosive properties:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure:	Not determined.			
· Density at 20 °C:	$0.94 g/cm^3$			
Relative density	Not determined.			
· Vapour density	Not determined.			
• Evaporation rate	Not determined.			
· Solubility in / Miscibility with				
water:	Not miscible or difficult to mix.			
· Partition coefficient: n-octanol/water:	Not determined.			
· Viscosity:				
Dynamic:	Not determined.			
Kinematic at 20 °C:	450 mm²/s			
· Solvent content:				
VOC (EC)	0.00 %			
• 9.2 Other information	<i>No further relevant information available.</i>			
· 9.2 Other Information				

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 5)

CHE

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

Trade name: Microgliss K-6

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- Harmful if inhaled.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- Serious eye damage/irritation
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official national regulations.*

SECTION 14: Transport information	n
· 14.1 UN-Number · ADR, IMDG, IATA	UN3287
• 14.2 UN proper shipping name • ADR	3287 TOXIC LIQUID, INORGANIC, N.O.S. (Barium sulfonate salts, Barium hydroxide 8-hydrate)
	(Contd. on page 6)

(Contd. of page 4)

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

Trade name: Microgliss K-6

	(Contd. of page
· IMDG, IATA	TOXIC LIQUID, INORGANIC, N.O.S. (Barium sulfonate salt: Barium hydroxide 8-hydrate)
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Toxic substances.
Hazard identification number (Kemler code):	60
· EMS Number:	F-A,S-A
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
• 14.7 Transport in bulk according to Annex II of Mar	
the IBC Code	Not applicable.
· Transport/Additional information:	
ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
Turning out antenness	Maximum net quantity per outer packaging: 1000 ml
• Transport category • Tunnel restriction code	2 E
· IMDG	-
· ImDG · Limited quantities (LQ)	5L
• Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3287 TOXIC LIQUID, INORGANIC, N.O.S. (Bariu
6	sulfonate salts, Barium hydroxide 8-hydrate), 6.1, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• *Relevant phrases* H302 Harmful if swallowed.

(Contd. on page 7) CHE

Printing date 12.05.2020

Version number 12

Revision: 12.05.2020

Trade name: Microgliss K-6

(Contd. of page 6)
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
11552 Hurmfut () Innuteu.
· Department issuing SDS: Abteilung Produktsicherheit
· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of
Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous
Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Corression/irritation – Category 1D Skin Irrit, 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
* Data compared to the previous version altered.